

EPI symptoms can make mealtime difficult

Instead of “No,” most adults with EPI* can say
**“I’ll take 3 slices of this,
and only 1 of these:**

60K



or

40K



”



Capsules are not to scale.
Not actual patients.

Ask your doctor about ZENPEP®.

ZENPEP allows most adults to start PERT with just one high-strength 40K or 60K capsule taken with each meal. ZENPEP may help relieve symptoms by improving your ability to digest and absorb the nutrients from the foods you eat.

*Your doctor will calculate your starting dose based on your body weight, symptoms, and types of food you eat.

EPI=exocrine pancreatic insufficiency; K=1,000; PERT=pancreatic enzyme replacement therapy.

What is ZENPEP?

INDICATION

ZENPEP is a prescription medicine used to treat people who cannot digest food normally because their pancreas does not make enough enzymes.

IMPORTANT SAFETY INFORMATION


ZENPEP may increase your chance of having a rare bowel disorder called fibrosing colonopathy. Call your doctor if you have unusual or severe stomach area pain, bloating, trouble passing stool, nausea, vomiting, or diarrhea.

Please see Important Safety Information throughout and Medication Guide and full Prescribing Information.

pancrelipase
Zenpep®
DELAYED-RELEASE CAPSULES

Living with EPI symptoms can feel uncertain

Depending on what you eat, uncomfortable symptoms can be hard to navigate



When you have EPI, your body can't digest food normally because your pancreas isn't making enough enzymes

This can lead to a number of uncomfortable symptoms, which may vary based on what you eat.

 **Steatorrhea**
(loose, oily, foul-smelling stools that are difficult to flush)

 **Gas**

 **Weight loss**

 **Stomach pain/cramps**

 **Bloating**

 **Malaise**
(general discomfort)

 **Diarrhea**



Many symptoms of EPI can be hard to talk about, but being open with your doctor is the first step to finding solutions.



It's important to talk to your doctor about EPI treatment options to help control your symptoms.

Without enough pancreatic enzymes, you may continue to experience symptoms

PERT can help

PERT is a type of prescription medicine for people who can't digest food normally because their pancreas doesn't make enough enzymes.



PERTs can help improve your ability to digest and absorb the food you eat and include enzymes known as lipase, protease, and amylase.



Everyone is different, so your doctor will calculate your individual PERT dose based on you:

- ✓ Body weight
- ✓ EPI symptoms
- ✓ Foods you eat

IMPORTANT SAFETY INFORMATION (cont'd)

Take ZENPEP exactly as your doctor tells you. Do not take more ZENPEP than directed by your doctor.

Always take ZENPEP with a meal or snack. ZENPEP capsules should be swallowed whole. Do not crush or chew the ZENPEP capsules or its contents and do not hold the capsule contents in your mouth.

It's important to take enough PERT to control symptoms

Experts estimate that most adults with EPI can start PERT at 40K to 50K lipase units per meal.

Depending on the response, some people may need more lipase units to help relieve symptoms.

PERT is available in a wide range of capsule strengths. High-strength capsules like ZENPEP 40K or 60K can help you start treatment with a single capsule—while still getting enough enzymes

For most adults a PERT with high-strength 40K or 60K dosing options, with more enzymes per capsule, can help reduce the number of capsules you may need to take.



The most common reason for EPI treatment failure is not taking enough enzymes or not taking them at the right time.

ACG GUIDELINE
at least 40K-50K lipase units per meal*

The American College of Gastroenterology (ACG) is a professional association for gastroenterologists. The ACG guidelines were developed by leading experts to provide clinical guidance with evidence-based recommendations and best practices for gastrointestinal conditions.

For patients with EPI and CP, the ACG-recommended adequate dosage of PERT is at least 40K to 50K lipase units per meal—and ZENPEP is the only PERT that meets this guideline in a single capsule.

*No endorsement of any brand or product by the ACG is intended or implied. CP=chronic pancreatitis.

Please see Important Safety Information throughout and Medication Guide and full Prescribing Information.

pancrelipase
Zenpep[®]
DELAYED-RELEASE CAPSULES

ZENPEP® 40K or 60K offers

The highest-strength starting dose available in a single capsule, which may help relieve EPI symptoms

ZENPEP is a PERT that can help improve your ability to digest and absorb the nutrients you need from the foods you eat, which may help relieve some EPI symptoms



Each ZENPEP capsule:

- ✓ Contains a mix of digestive enzymes to replace enzymes your pancreas can't make
- ✓ Is required with a meal or snack so it enters your digestive system at the same time as your food
- ✓ Is designed to release enzymes to help digest the food you eat

ZENPEP offers 8 flexible dosing strengths,* ranging from 3K to 60K capsules, which help meet your individual EPI management needs. It's important to talk to your doctor about your treatment options.

*ZENPEP dosing strengths range from 3K to 60K lipase units per capsule, including: 3K, 5K, 10K, 15K, 20K, 25K, 40K, and 60K.

IMPORTANT SAFETY INFORMATION (cont'd)

ZENPEP may cause serious side effects, including:

- Irritation of the inside of your mouth
- Increase in blood uric acid levels
- Severe allergic reactions

ZENPEP can simplify starting treatment with a high-strength, single capsule for most adults

Your doctor will determine the best starting dose for you based on your:

- ✓ Body weight
- ✓ EPI symptoms
- ✓ Foods you eat

Starting Dose Options



For patients
115 lb to 179 lb

OR



For patients
180 lb to 265 lb

Capsules not to scale.

Average weight of adults

♂ Male: ≈200 lb ♀ Female: ≈171 lb

For many patients, lower-strength options less than 40K may require starting with more capsules.

With ZENPEP 40K or 60K dosing options, you know you're getting more pancreatic enzymes in a single capsule than other treatment options.

IMPORTANT SAFETY INFORMATION (cont'd)

The most common side effects of ZENPEP include:

- Headache
- Bruising
- Cough
- Feeling full after eating a small amount of food.

Tell your doctor if you are allergic to pork products, have kidney disease, are pregnant or plan to become pregnant or are breastfeeding.

Please see Important Safety Information throughout and Medication Guide and full Prescribing Information.

pancrelipase
Zenpep[®]
DELAYED-RELEASE CAPSULES

How to take ZENPEP® (children and adults)



- 1 Swallow ZENPEP capsules whole and take with enough liquid to swallow them right away.
- 2 If you have trouble swallowing capsules, open the capsules and sprinkle the beads on a small amount of acidic food such as applesauce. Ask your doctor about other foods you can mix with ZENPEP. If you sprinkle ZENPEP on food, swallow it right after you mix it. Do not store ZENPEP that is mixed with food.
- 3 Swallow the ZENPEP and food mixture right away followed with water or juice.
- 4 Make sure the medicine is swallowed completely.
- 5 If you forget to take ZENPEP, call your doctor or wait until your next meal and take your usual number of capsules. Do not make up for missed doses. Take your next dose at the usual time.



Always take ZENPEP with a meal or snack. Be careful not to go over your total daily dose as prescribed by your doctor.

IMPORTANT SAFETY INFORMATION (cont'd)

ZENPEP may increase your chance of having a rare bowel disorder called fibrosing colonopathy. Call your doctor if you have unusual or severe stomach area pain, bloating, trouble passing stool, nausea, vomiting, or diarrhea.

Eligible commercially insured patients can pay as little as \$0* for their ZENPEP®—and receive free multivitamins!

As a member of the program, you'll receive the ZENPEP Savings Card to receive discounted out-of-pocket costs*

Z-Save®

The ZENPEP® Patient Support Program

PAY AS LITTLE AS

\$0 for the first prescription fill and for refills for eligible commercial patients*



Scan QR code to learn more and activate your ZENPEP Savings Card

*This offer is valid only for ZENPEP prescriptions. Eligible patients may pay as little as \$0 for their first prescription fill and for refills. Check with pharmacist for copay discount. Maximum savings limit applies; patient out-of-pocket expense may vary. Offer not valid for patients enrolled in Medicare, Medicaid, or other federal or state healthcare programs. Please see non-CF Patient Support Program Terms, Conditions, and Eligibility Criteria at www.ZENPEP.com/savings-programs.

Please see Important Safety Information throughout and Medication Guide and full Prescribing Information.

pancrelipase
Zenpep®
DELAYED-RELEASE CAPSULES

The Z-Save® program also offers other helpful resources

The offerings include:

- Your choice of Pure Encapsulations® Nutrient 950® with vitamin K or Pure Encapsulations® Nutrient 950® without iron (or vitamin K)*
- Your choice of nutritional supplements: Boost Plus® Very Vanilla or Boost Plus® Rich Chocolate



Refill, dosage, and administration reminders



Live support from customer care advocates

*Please consult with your healthcare professional before beginning nutritional supplements.

How to get off to a good start

The GoodStart™ program is designed to help you on your personal treatment journey

It is not a co-pay or financial assistance program. GoodStart is a free, personalized, voluntary telephone-based program that works with your pharmacy to support people who take certain medicines regularly for specific health conditions.

The program offers:



Up to 5 free calls with an experienced GoodStart member focused on education and encouragement. The GoodStart program is not an alternative to talking to your doctor about your disease/treatment.



21 days of supportive GoodStart Minute messaging by text or email—you choose!



Resources—Access to brochure with helpful information, FAQs, and more!



The GoodStart program works in partnership with your pharmacy to help initiate the program.

Please see Important Safety Information throughout and Medication Guide and full Prescribing Information.

pancrelipase
Zenpep[®]
DELAYED-RELEASE CAPSULES

With ZENPEP[®], most adults with EPI can start simply with a single high-strength 40K or 60K capsule



ZENPEP helps improve your ability to digest and absorb the nutrients you need from the foods you eat, which may help relieve some EPI symptoms



ZENPEP may reduce the number of capsules you need to take



ZENPEP offers savings with Z-Save, and eligible commercial patients can pay as little as \$0



Ask your doctor about starting simply with ZENPEP.



For more information about ZENPEP, please visit www.ZENPEP.com

IMPORTANT SAFETY INFORMATION

Take ZENPEP exactly as your doctor tells you. Do not take more ZENPEP than directed by your doctor.

You are encouraged to report side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

Please see Important Safety Information throughout and Medication Guide and full Prescribing Information.

pancrelipase
Zenpep[®]
DELAYED-RELEASE CAPSULES