

Could stomach or digestive problems mean exocrine pancreatic insufficiency (EPI)?



ZENPEP® can help your body absorb fats, proteins, and carbs from your food*

*For appropriate patients.

What is ZENPEP®?

ZENPEP (pancrelipase) is a prescription medicine for people who cannot digest food normally because their pancreas does not make enough enzymes. ZENPEP may help your body use fats, proteins, and sugars from food. ZENPEP contains a mixture of digestive enzymes (lipases, proteases, and amylases) from pig pancreas. ZENPEP is safe and effective in children.

IMPORTANT RISK INFORMATION

What is the most important information I should know about ZENPEP?

- ZENPEP may increase your chance of having a rare bowel disorder called fibrosing colonopathy. This condition is serious and may require surgery. The risk of having fibrosing colonopathy may be reduced by following the dosing instructions your doctor gave you. **Call your doctor right away if you have any unusual or severe:** stomach area (abdominal) pain, bloating, trouble passing stool (having bowel movements), nausea, vomiting, or diarrhea.

Please see Important Risk Information throughout and Medication Guide within the accompanying full Prescribing Information.

 **Zenpep®**
(pancrelipase)
Delayed-Release Capsules

Could it be EPI?

If you have any of the following symptoms or conditions, it could be exocrine pancreatic insufficiency (EPI).

Symptoms of EPI may include

- Loose, oily, foul-smelling stools that are difficult to flush (steatorrhea)
- Weight loss due to not getting the necessary nutrition from your diet
- Bloating
- Diarrhea
- Gas
- Stomach pain/cramps

Conditions associated with EPI

- Cystic fibrosis (CF)
- Diabetes (type 1 and type 2)
- Chronic pancreatitis
- Pancreatic cancer
- Other GI diseases (irritable bowel syndrome, Celiac disease, Crohn's disease, ulcerative colitis, issues associated with HIV/AIDS)

Many of the symptoms associated with EPI may be hard to talk about. Opening up to your doctor is the first step

IMPORTANT RISK INFORMATION (continued)

What is the most important information I should know about ZENPEP? (continued)

- Take ZENPEP exactly as prescribed. Do not take more or less ZENPEP than directed by your doctor.

Before you take ZENPEP, tell your doctor:

- If you are allergic to pork (pig) products; have a history of blockage of your intestines, or scarring or thickening of your bowel wall (fibrosing colonopathy); have gout, kidney disease, or high blood uric acid (hyperuricemia); have trouble swallowing capsules; have any other medical condition; are pregnant or plan to become pregnant; are breastfeeding or plan to breastfeed.

How is EPI diagnosed?

EPI symptoms are similar to other GI conditions. These tests can help your doctor tell if you have EPI:



Stool Test

- **Fecal fat test:** Measures the amount of fat in your stool
- **Fecal elastase test:** Measures the amount of an enzyme (elastase) in your stool



Blood Test

- Measures the level of a protein (trypsinogen) in your blood



Endoscopic Retrograde Cholangiopancreatography (ERCP)

- Uses a flexible tube to take pictures of the pancreas and look for any damage

If you are diagnosed with EPI, talk to your doctor about starting treatment with ZENPEP®

IMPORTANT RISK INFORMATION (continued)

Before you take ZENPEP, tell your doctor (continued):

- **About all the medicines you take**, including prescription and non-prescription medicines, vitamins, and herbal supplements.

Please see Important Risk Information throughout and Medication Guide within the accompanying full Prescribing Information.



EPI is manageable



Your doctor may recommend the following:



Lifestyle and diet changes



Vitamins and nutrient supplements



Pancreatic enzyme replacement therapy (PERT)

GOALS FOR MANAGING EPI

Improve digestion and absorption of nutrients

Relieve symptoms of EPI

IMPORTANT RISK INFORMATION (continued)

How should I take ZENPEP?

- Take ZENPEP exactly as your doctor tells you.
- Do not crush or chew the ZENPEP capsule or its contents, and do not hold the capsule or contents in your mouth. This may cause irritation in your mouth or change the way ZENPEP works in your body. See Medication Guide and talk to your doctor for additional directions.

ZENPEP® can help

ZENPEP is a pancreatic enzyme replacement therapy (PERT)

ZENPEP is a prescription medicine **for people who cannot digest food well** because their pancreas does not make enough enzymes

Taking ZENPEP **can help to better absorb the nutrients you need** from the food you eat

ZENPEP can **help relieve symptoms** of EPI

Each ZENPEP capsule:

Contains a mix of digestive enzymes to replace enzymes your pancreas can't make

Is required with a meal or snack so it enters your body at the same time as your food

Releases enzymes to help digest the food you eat



IMPORTANT RISK INFORMATION (continued)

Side Effects

- **ZENPEP may cause serious side effects, including** worsening of swollen, painful joints (gout) caused by an increase in blood uric acid levels and **allergic reactions** including trouble with breathing, skin rashes, or swollen lips. Call your doctor right away if you have any of these symptoms.

Please see Important Risk Information throughout and Medication Guide within the accompanying full Prescribing Information.

 **Zenpep®**
(pancrelipase)
Delayed-Release Capsules

Getting started on ZENPEP®



ZENPEP has the highest dose strength available and the widest range of dosing options, which may



Allow for
customized dosing



Reduce the number
of capsules needed

Your doctor will calculate the dose of ZENPEP you need based on your

✓ Weight

✓ Symptoms

✓ Diet

✓ Age

IMPORTANT RISK INFORMATION (continued)

Side Effects (continued)

- The most common side effects of ZENPEP include belly pain, gas, and headache.

Get support when you need it



Z-Save®: Savings Program for Non-CF Patients

Register for the ZENPEP Savings Card to save money every time you fill your ZENPEP prescription. You'll also receive vitamins or supplements with a cost savings.*



CF Patient Support Program

Families and individuals affected by EPI due to CF can get access to several offerings, including:

- Prescription savings†
- Nutritional supplements and vitamins delivered monthly
- Age-specific educational content

Visit www.ZENPEP.com for more information

*For eligible patients.

†See terms and conditions.

IMPORTANT RISK INFORMATION (continued)

Side Effects (continued)

- ZENPEP and other pancreatic enzyme products are made from the pancreas of pigs, the same pigs people eat as pork. These pigs may carry viruses. Although it has never been reported, it may be possible for a person to get a viral infection from taking pancreatic enzyme products that come from pigs.

Please see Important Risk Information throughout and Medication Guide within the accompanying full Prescribing Information.



Giving ZENPEP® to infants

(up to 12 months)

- 1 Give ZENPEP right before each feeding of formula or breast milk.
- 2 Do not mix ZENPEP capsule contents directly into formula or breast milk.
- 3 Open the capsule and sprinkle the contents on a small amount of applesauce. You may also sprinkle the contents directly into your child's mouth.
- 4 If you sprinkle the ZENPEP on food, give the ZENPEP and food mixture to your child right away.
- 5 Give your child enough liquid to completely swallow the ZENPEP contents or the ZENPEP and food mixture.
- 6 Look in your child's mouth to make sure that all of the medicine has been swallowed.



**Be careful not to
go over your total
daily dose**

You should contact your child's doctor if you have questions about taking the medicine.

Visit www.ZENPEP.com/resources
to watch a video about giving ZENPEP to your infant

Giving ZENPEP® to children and adults

- 1 Swallow ZENPEP capsules whole and take with enough liquid to swallow them right away.
- 2 If you have trouble swallowing capsules, open the capsules and sprinkle the beads on a small amount of acidic food such as applesauce. Ask your doctor about other foods you can mix with ZENPEP.
- 3 If you sprinkle ZENPEP on food, swallow it right after you mix it. Do not store ZENPEP that is mixed with food.
- 4 Swallow the ZENPEP and food mixture right away followed with water or juice. Make sure the medicine is swallowed completely.
- 5 If you forget to take ZENPEP, call your doctor or wait until your next meal and take your usual number of capsules. Do not make up for missed doses. Take your next dose at the usual time.



**Always take
ZENPEP with a
meal or snack.
Be careful not to
go over your total
daily dose**

**Please see Important Risk Information throughout
and Medication Guide within the accompanying full
Prescribing Information.**

 **Zenpep®**
(pancrelipase)
Delayed-Release Capsules

Start managing your EPI symptoms with ZENPEP®



ZENPEP helps your body **use fats, proteins, and carbs from food**



ZENPEP may **reduce the number of capsules** you need to take



ZENPEP allows for **customizable dosing**

Talk to your doctor today about getting started with ZENPEP to help absorb the nutrients you need

IMPORTANT RISK INFORMATION (continued)

Side Effects (continued)

- Tell your doctor if you have any side effect that bothers you or does not go away. These are not all the possible side effects of ZENPEP. For more information, ask your doctor or pharmacist.

You are encouraged to report side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

Please see Important Risk Information throughout and Medication Guide within the accompanying full Prescribing Information.

 **Zenpep®**
(pancrelipase)
Delayed-Release Capsules